EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"668549".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:03
L2	2472	707/5.ccls.\	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:03
L3	2472	707/5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:03
L4	5	"10269248" "2002140364"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:22
L5	6	(two?pass single?pass) near3 quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:25
L6	1728	(auxiliar\$3 miss\$3) WITH quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:26
L7		((auxiliar\$3 miss\$3) WITH quer\$3) SAME ((re?writ\$3 rewrit\$3 refinement refin\$5) WITH (quer\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:29
L8	4	7 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:27

EAST Search History

			,			
L9	24	(requery\$3 OR re?requery\$) and database and internet and (auxiliary OR secondary OR backup OR supplement\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:28
L10	37	((auxiliar\$3 miss\$3) WITH quer\$3) SAME ((re?writ\$3 rewrit\$3 refinement refin\$5 append\$3) WITH (quer\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:53
L11	4	10 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:53
L12	14	(analyz\$3 same attribut\$3) and (rewrit\$5 near2 query)	USPAT	OR	ON	2007/07/30 15:55
L13	66	(analyz\$3 same attribut\$3) and ((refin\$6 append\$3 re?writ\$5 rewrit\$5) near3 quer\$3)	USPAT	OR	ON	2007/07/30 15:56
L15	4	13 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:56
L16	32972	((rewrit\$4 append\$3 add\$3 refin\$3) same (quer\$3 search\$3 sort\$3 cluster\$3) same (result))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:57
L17	777	16 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:57
L18	56	17 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:06

EAST Search History

L19	1	7 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR '	ON	2007/07/30 16:07
L20	0	18 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:07
L21	0	12 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:07
L22	. 1	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:07

7/30/2007 4:07:39 PM C:\Documents and Settings\mpyo\My Documents\EAST\workspaces\10668549.wsp

Page 3

Sign in

Google

(two-pass) query

| Search | Advanced Search | Preferences |
| New! View and manage your web history

Web

Results 1 - 10 of about 72,100 for (two-pass) query. (0.17 seconds)

Database Query Processing Using Finite Cursor Machines, from ...

The model describes quite faithfully what happens in so-called "One-pass" and "Two-pass query processing". Technically, the model is described in the ... whitepapers.techrepublic.com.com/whitepaper.aspx?docid=297404 - 31k - Cached - Similar pages

[PS] AT&T at TREC-9

File Format: Adobe PostScript - View as Text

Here locality is implemented as a window of query length (in bytes) + 50 bytes. att0010gbe.

: This run is our two pass query expansion run. ...

trec.nist.gov/pubs/trec9/papers/att-trec9.ps - Similar pages

[PDF] Database Query Processing Using Finite Cursor Machines

File Format: PDF/Adobe Acrobat - View as HTML

"one-pass" and "two-pass query processing". Technically, the model is, described in the

framework of abstract state machines. Our main results ...

www2.informatik.hu-berlin.de/~grohe/pub/gglstv07.pdf - Similar pages

Methods and apparatus for query rewrite with auxiliary attributes ...

Apparatus for rewriting a query during a database query processing absent from the original query; (ii) may employ a two-pass query processing ...

www.freepatentsonline.com/20050065914.html - 36k - Cached - Similar pages

EMUG'05: Fusion Similarity Searching in Daycart

A tanimoto() search with a query containing a comma-separated list of SMILES ... can then be fed into the new "Best similarity" search in a two-pass query. ... www.daylight.com/meetings/emuq05/Delany/fusion.html - 12k - Cached - Similar pages

[PDF] cademic ffairs - Course Proposal Form

File Format: PDF/Adobe Acrobat - View as HTML

1) thoroughly understand query execution algebra and algebraic laws for improving query

plan,. 2) thoroughly understand one-pass and two-pass query ...

www.csus.edu/acaf/PDF_Files/List%207%20Courses/List%207%20Form%20A%20-%

20ECS%20-%20CSC%20244 pdf - Similar pages

[PDF] 2PXMiner - An Efficient Two Pass Mining of Frequent XML Query Patterns

File Format: PDF/Adobe Acrobat

We have developed a **two pass** algorithm called 2PXMiner. to find frequent XML **query** patterns. Since the search space. is exponential to the size of the **query** ... portal.acm.org/ft_gateway.cfm?id=1014148&type=pdf - Similar pages

[PDF] LNCS 3115 - Faster Exact Histogram Intersection on Large Data ...

File Format: PDF/Adobe Acrobat

Decomposed Data (i.e. column vectors) in order to choose what parts of the query. to evaluate as part of a two-pass query process. ...

www.springerlink.com/index/5MNTQBGT2FV4B5QK.pdf - Similar_pages

[PDF] OGSA-WebDB: An OGSA-Based System for Bringing Web Databases into ...

File Format: PDF/Adobe Acrobat - View as HTML

Two-pass query execution: Mediator: conditions supported by web databases included in.

conditions supported by web databases included in ... projects.gtrc.aist.go.jp/mirza/itcc04.pdf - <u>Similar pages</u>

Massachusetts Institute of Technology

Two pass query: [Landuse] = 'Commercial' first. then, add to selection [Landuse] = 'Industrial'. Fun with Selections. By default, processing operations ... web.mit.edu/11.520/www/lectures/lecture4.html - 70k - Cached - Similar pages

1 2 3 4 5 6 7 8 9 10 **Next**

Try Google Desktop: search your computer as easily as you search the web.

(two-pass) query Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Sign in

<u>Google</u>

(two-pass) query and ((auxiliary attributes OR | Search)



Advanced Search

The "AND" operator is unnecessary -- we include all search define about definition of the control of the contro

Web Results 1 - 10 of about 313 for (two-pass) query and ((auxiliary attributes OR missing attributes) for (re

Methods and apparatus for query rewrite with auxiliary attributes ... Methods and apparatus are provided for rewriting queries during a database query processing operation to include auxiliary attributes not included in the ... www.freepatentsonline.com/20050065914.html - 36k - Cached - Similar pages

Patents in Class 707/2

2272, US5430870, Saving and restoring traversal state attributes of a directed acyclic ... 2290, US5301317, System for adapting query optimization effort to ... www.freepatentsonline.com/CCL-707-2-p46.html - 44k - Cached - Similar pages [More results from www.freepatentsonline.com]

[PDF] Dynamic Sample Selection for Approximate Query Processing

File Format: PDF/Adobe Acrobat - View as HTML

In small group sampling, the sample. tuples that are used for a query Q are determined by the. grouping attributes from Q. We focus on small group sam- ...

acm.org/sigmod/sigmod03/eproceedings/papers/r20p01.pdf - Similar pages

[PDF] 9286-Schiller-03 41..80

File Format: PDF/Adobe Acrobat - View as HTML auxiliary secondary index is used to support the Find(), get-a-Successor(), attributes. Attribute queries are well supported by the query-processing ... www-users.cs.umn.edu/~shekhar/research/lbsChapter.pdf - Similar pages

Exploiting Punctuation Semantics in Continuous Data Streams

Pass Invariants for Traditional Query Operators. Two pass invariants require ... function modifies tuples from one join input, appending attributes from the ... doi.ieeecomputersociety.org/10.1109/TKDE.2003.1198390 - Similar pages

[PDF] Analyzing Goal Semantics for Rights, Permissions, and Obligations

File Format: PDF/Adobe Acrobat - View as HTML

represented in the model and missing from the query. Query subsumption is a powerful multiple attributes or adjectives describing a particular, entity, ...

ftp://ftp.ncsu.edu/pub/unity/lockers/ftp/csc_anon/tech/2005/TR-2005-08.pdf - Similar pages

[PDF] BMRT: A Global Illumination Implementation of the RenderMan Standard

File Format: PDF/Adobe Acrobat - View as HTML

Individual RenderMan calls either (1) set the options, attributes, Interface to query geometry for its average color, nor is there a ...

www.siggraph.org/education/materials/HyperGraph/radiosity/jgt96.pdf - Similar pages

Abstracting Application-Level Web Security

Unfortunately constructing the query naïvely leads to a vulnerability where The attributes of a parameter element with name=p place constraints on data ... www2002.org/CDROM/refereed/48/ - 87k - Cached - Similar pages

Method and apparatus for extending a relational database ...

The method comprises the steps of receiving a database query comprising a and binds attributes and UDF invocations to object-relational tables and ...

(two-pass) query and ((auxiliary attributes OR missing attributes) for (rewr... Page 2 of 2

www.patentstorm.us/patents/5873083-description.html - 79k - Cached - Similar pages

BMRT Documentation

Several implementation specific options and attributes alter the way in which The renderer is smart enough to query shaders for their "Kd" values, ... www.cs.berkeley.edu/~ug/slide/pipeline/assignments/as9/bmrt/rendribdocs.html - 45k -Cached - Similar pages

> 1 2 3 4 5 6 7 8 9 10 **Next**

Download Google Pack: free essential software for your PC

(two-pass) query and ((auxiliary attri



Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

<u>Sign in</u>

Google

(two-pass) query with (target attributes) and (a Search



The "AND" operator is unnecessary -- we include all representations are defaulted at the control of the control

Web Results 1 - 10 of about 150 for (two-pass) query with (target attributes) and (auxiliary attributes) for rev

Methods and apparatus for query rewrite with auxiliary attributes ... Apparatus for rewriting a query during a database query processing operation, comprising: a memory; Both target and auxiliary attributes are examined. ... www.freepatentsonline.com/20050065914.html - 36k - Cached - Similar pages

[PDF] QUERY PROCESSING WITH GUARANTEES IN QUERY-CENTRIC NETWORKS

File Format: PDF/Adobe Acrobat

contribute its attribute value to the final query result v. The queen host attempts to unnest subqueries by rewriting them as equi-joins. Such ... infolab.stanford.edu/~bawa/dissertation/bawa-qpde-05.pdf - Similar pages

[PDF] Metamodelling for MDA

File Format: PDF/Adobe Acrobat

attributes are visible on more than one inheritance path (C++ virtual base classes) a. twopass algorithm will be required, first to establish the diamond ... www.cs.york.ac.uk/metamodel4mda/onlineProceedingsFinal.pdf - Similar pages

[PDF] Engineering Object-Oriented Semantics Using Graph Transformations

File Format: PDF/Adobe Acrobat - View as HTML

respectively attribute, with that name in that class. Where defined, Ass yield a triple of multi-. plicity, ordering indication and target class of the ... www.ub.utwente.nl/webdocs/ctit/1/00000166.pdf - Similar pages

Data processing: database and file management or data structures ...

A method of managing data that is given an update prohibitive attribute includes a and rewriting the query by producing a sequence of outer Cartesian ... www.freshpatents.com/Data-processing--database-and-file-management-or-datastructures-dt200604ntc707.php - 252k - Cached - Similar pages

[PDF] Foundations of XML Processing

File Format: PDF/Adobe Acrobat

whereas the above-suggested rewriting yields the following. ((a[],b[]? XML attributes and shuffle expressions. Attributes are auxiliary data that are ... arbre.is.s.u-tokyo.ac.jp/~hahosoya/xmlbook/xmlbook.pdf - Similar pages

[PDF] Modelling and Operational Issues for Pattern Base Management ...

File Format: PDF/Adobe Acrobat

data set with specified attribute names, we need to employ auxiliary names for retrieving and rewriting them to the secondary storage several times, ... www.dblab.ece.ntua.gr/pubs/uploads/PHD-2007-1.pdf - Similar pages

[PDF] Proceedings of VLDB Workshop on Information Integration on the Web ...

File Format: PDF/Adobe Acrobat

and their attributes? This task is to extract the query capa- answers only the query rewriting technique [1], denoted ...

cips.eas.asu.edu/iiwebfinalproceedings/Proceedings-IIWeb-04.pdf - Similar pages

[PDF] Realization of Natural-Language Interfaces Using Lazy Functional ...

(two-pass) query with (target attributes) and (auxiliary attributes) for rewrit... Page 2 of 2

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> executable attribute grammar was used to implement a natural-language database-. query processor based on a set-theoretic version of Montague semantics, ... davinci.newcs.uwindsor.ca/richard/cs510/EXAMPLE_LATEX_FILES/FINAL_PAPER.pdf - <u>Similar pages</u>

[PDF] Dynamic Point Samples as Primitives for Free-Viewpoint Video
File Format: PDF/Adobe Acrobat
of surface normal vectors and splat sizes is required, these attributes can be encoded.
using two of the three optional auxiliary images. ...
ftp://ftp.inf.ethz.ch/pub/publications/diss/th15643.pdf - Similar pages

1 <u>2 3 4 5 6 7 8 9 10</u> **Next**

Try Google Desktop: search your computer as easily as you search the web.

(two-pass) query with (target attribut

Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Sign in

Google

(two-pass) query with query result with ((target

Search Advanced Search Preferences

The "AND" operator is unnecessary -- we included a long to the way of the way

Web Results 1 - 10 of about 149 for (two-pass) query with query result with ((target attributes) and (auxiliar)

Methods and apparatus for query rewrite with auxiliary attributes ... Second, data attributes from the query results are analyzed. statistics from query results. Both target and auxiliary attributes are examined. ... www.freepatentsonline.com/20050065914.html - 36k - Cached - Similar pages

Data processing: database and file management or data structures ... A method of managing data that is given an update prohibitive attribute A refined query is selected from the results of the first user query ... www.freshpatents.com/Data-processing--database-and-file-management-or-data-structures-dt200604ntc707.php - 252k - Cached - Similar pages

[PDF] QUERY PROCESSING WITH GUARANTEES IN QUERY-CENTRIC NETWORKS

File Format: PDF/Adobe Acrobat

contribute its **attribute** value to the final **query result** v. The queen host attempts to unnest subqueries by **rewriting** them as equi-joins. Such ... infolab.stanford.edu/~bawa/dissertation/bawa-qpde-05.pdf - Similar pages

[PDF] Metamodelling for MDA

File Format: PDF/Adobe Acrobat

A further example of a **query** over a UML model might be: Does a. particular **attribute** in the source have public visibility? The **result** would be a Boolean ... www.cs.york.ac.uk/metamodel4mda/onlineProceedingsFinal.pdf - <u>Similar pages</u>

[PDF] Realization of Natural-Language Interfaces Using Lazy Functional ...
File Format: PDF/Adobe Acrobat - View as HTML
executable attribute grammar was used to implement a natural-language database-. query
processor based on a set-theoretic version of Montague semantics, ...
davinci.newcs.uwindsor.ca/richard/cs510/EXAMPLE_LATEX_FILES/FINAL_PAPER.pdf Similar pages

[PDF] Realization of Natural Language Interfaces Using Lazy Functional ...

File Format: PDF/Adobe Acrobat - View as HTML

(2) executable attribute-grammar environments which can be used to build natural. language database-query processors as executable specifications; ...

cs.uwindsor.ca/~richard/PUBLICATIONS/NLI_LFP_SURVEY_DRAFT.pdf - Similar pages

[PDF] Oracle9i Database New Features

File Format: PDF/Adobe Acrobat

elements, search attribute values, XPath query syntax, new two-pass recovery algorithm that ensures that only the blocks that need to be ...

www.lc.leidenuniv.nl/awcourse/oracle/server.920/a96531.pdf - Similar pages

[PS] The MORALE Guidebook to the Evolutionary Design of Complex Software

File Format: Adobe PostScript - View as Text

The point, of course, is that quality **attributes** do not exist in The WAIS client provides the user interface as a **Query** Panel that is used to ...

www-static.cc.gatech.edu/morale/local/guidebooks/morale.ps - Similar pages

(two-pass) query with query result with ((target attributes) and (auxiliary a... Page 2 of 2

[PDF] Modelling and Operational Issues for Pattern Base Management ...

File Format: PDF/Adobe Acrobat

retrieving and **rewriting** them to the secondary storage several times, as we further Efficient Storage and **Query** Processing of. Set-Valued **Attributes**. ...

www.dblab.ece.ntua.gr/pubs/uploads/PHD-2007-1.pdf - Similar pages

[PDF] Oracle9i Database New Features

File Format: PDF/Adobe Acrobat your document during updates, without rewriting the entire document. XML elements, search attribute values, XPath query syntax, and other advanced ... download-west.oracle.com/docs/cd/B10501 01/server.920/a96531.pdf - Similar pages

> 1 2 3 4 5 6 7 8 9 10 Next

Download Google Pack: free essential software for your PC

(two-pass) query with query result w Search



Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

http://www.google.com/search?hl=en&q=%28two-pass%29+query+with+q... 7/30/2007